

VMAX - V221-S

PASSIVE BASS REFLEX SUBWOOFER



MAIN APPLICATIONS

- Live performance
- DJ set
- Rental solutions
- Permanent installations

DESCRIPTION

The V221-S is a very high-output bass reflex subwoofer.

The system is equipped with two advanced 21" RCF precision woofers mounted in a front-loaded configuration.

This new high power design marks the latest refinements in RCF experience in compact subwoofer design, resulting in a fast and controlled reproduction of the bass frequency range. The two transducers couple to achieve tight and maximised output, while the subwoofer design ensures an efficient acoustic response down to 25 Hz

Each 21" features massive vented magnets and 4,5" copper voice coil and represents the state of the art of RCF precision transducers technology. The system is able of producing a Max SPL of 143 dB and handles 4000 Watts AES.

The loudspeaker enclosure shape is rectangular and the cabinet is constructed of multi-ply baltic birch plywood and finished in a very resistant, textured, weather resistant polyurethane black paint. It features 2x side recessed handles and rubber feet. It is possible to use the system in horizontal or vertical configuration.

The front steel grille is epoxy powder coated.

MAIN FEATURES

- High power, bass reflex subwoofer system
- 2 x 21" high power, 4.5" voice coil hypervented woofers
- 143 dB max SPL
- 4000 Watt AES
- Very high output, response down to 30 Hz
- Birch plywood cabinet
- Weather resistant, textured, polyurea finish
- Epoxy powder coated front grille

ACOUSTICAL SPECIFICATIONS

Frequency response:	25 - 200 Hz
Max SPL:	143 dB
Sensitivity 1W/1m:	100 dB
Coverage angle:	-
Compression driver:	-
Midrange:	-
Woofers:	2 x 21", 4.5" voice coil
Power handling LF:	2000 W
Power handling MF/HF:	-

INPUT SECTION

Input signal (Impedance):	8 Ω
Input connector:	2 x SPEAKON NL4
Output signal connector:	-

DX 4008 FOR EXTERNAL PROCESSING AND FILTERING IS REQUIRED



Passive crossover frequency:	-
Protections:	-

PHYSICAL

Cabinet:	15mm Birch Plywood
Dimensions (HxWxD):	585x 1500x 870mm (29.33" x 59.05" x 34.25")
Weight:	110 kg (242,5 lbs)
Hardware:	Pole mount ready
Handles:	4 side
Colour:	Black





VMAX - V221-S





VMAX - V221-S

HORIZONTAL 1/3 POLAR PLOT



VERTICAL 1/3 POLAR PLOT




VMAX - V221-S

PART NUMBER

13000415

DIMENSIONS (All data are in mm)



V 221-S

