

MP 302

USER MICROPHONE

DESCRIPTION

The MP 302 is a condenser microphone characterized by high sensitivity and directivity, specially designed for clear voice reproduction even in very noisy environments. The compact white plastic enclosure has a very sleek contemporary design. The MP 302 has a special slot near the screened cable outlet for inserting the raceway (see drawing). The microphone is easy to attach to glass security windows using the heavy-duty double-face tape supplied.



FEATURES

- Electret microphone having high sensitivity and an unidirectional polar pattern, suitable for clear voice reproduction even in very noisy rooms / halls
- Its compact white plastic enclosure has a very sleek contemporary design
- MP 302 has a slot (close to the audio cable output) for the insertion of a standard wiring duct
- It can be easily attached on safety glasses through bi-adhesive tape
- 5 m balanced and screened cable for connection to the MP 341 control unit / amplifier

TECHNICAL SPECIFICATIONS

General specifications	Type:	Electret
	Cable included:	4 m, shielded
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	Plastic
	Color:	White
Size	Height:	21 mm / 0.83 inches
	Width:	9 mm / 0.35 inches
	Depth:	16 mm / 0.63 inches
	Weight:	0.07 kg / 0.15 lbs
Shipping informations	Package Height:	70 mm / 2.76 inches
	Package Width:	5 mm / 0.2 inches
	Package Depth:	110 mm / 4.33 inches
	Package Weight:	0.12 kg / 0.26 lbs

PART NUMBER

- **12401007**

MP 302

DRAWINGS

MP 302

