

V 221-S

PASSIVE BASS REFLEX SUBWOOFER

DESCRIPTION

The V221-S is a very high-output bass reflex subwoofer. The system is equipped with two advanced 21" RCF precision woofers mounted in a front-loaded configuration. This new high power design marks the latest refinements in RCF experience in compact subwoofer design, resulting in a fast and controlled reproduction of the bass frequency range. The two transducers couple to achieve tight and maximised output, while the subwoofer design ensures an efficient acoustic response down to 25 Hz.



FEATURES

- High power, bass reflex subwoofer system
- 2 x 21" high power, 4.5" voice coil hyperventated woofers
- 143 dB max SPL
- 4000 Watt AES
- Very high output, response down to 30 Hz
- Birch plywood cabinet
- Weather resistant, textured, polyurea finish
- Epoxy powder coated front grille

TECHNICAL SPECIFICATIONS




Acoustical specifications	Frequency Response (-10dB):	25 Hz ÷ 200 Hz
	Max SPL @ 1m:	143 dB
	System Sensitivity:	100 dB
Power section	Nominal Impedance (ohm):	4 ohm
	Power Handling:	4000 W RMS
	Peak Power Handling:	16000 W PEAK
	Recommended Amplifier:	8000 W
Transducers	Woofers:	2 x 21", 4.5" v.c
	Nominal Impedance (ohm):	8 ohm
	Input Power Rating:	2000 W AES, 4000 W PROGRAM POWER
Input/Output section	Input connectors:	Speakon® NL4
	Output connectors:	Speakon® NL4
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	Baltic birch plywood
	Pole mount/Cap:	Yes
	Grille:	Steel
Size	Height:	585 mm / 23.03 inches
	Width:	1500 mm / 59.06 inches
	Depth:	870 mm / 34.25 inches
	Weight:	110 kg / 242.51 lbs
Shipping informations	Package Height:	600 mm / 23.62 inches
	Package Width:	1540 mm / 60.63 inches
	Package Depth:	900 mm / 35.43 inches
	Package Weight:	110 kg / 242.51 lbs

PART NUMBER

- **13000415**

V 221-S

EAN 8024530012649



V 221-S

