

BM 7608

DESKTOP PAGING MICROPHONE

DESCRIPTION

Paging microphone set monitored according to EN 54-16 norm.

The 8 configurable buttons can be programmed to send live microphone announcements in specific zones or groups of zones. There are dedicated buttons to access the emergency operation/functions, in order to send pre-recorded security messages or microphone announcements. It has a metal body and an high intelligibility microphone mounted on a 250mm gooseneck. One input on RCA stereo connector is available for the direct connection of a program source (i.e. CD player), to be sent through the same audio channel where the console is connected when paging is not in progress. The console is powered through the same system bus or through a local optional power supply. The connection to the MU 7100EN master unit can be made by using a CAT 5 cable or a J-Type 4 twisted pair cable (es. Fire resistant model RCF CJ 428E).



FEATURES

- Modern design
- Monitored microphone
- Audio input (3.5 mm TRS jack connector) for an external device
- Up to 32 paging microphones in the entire system, up to 8 for each local bus
- 2 data bus ports for redundant systems
- Connections to system / local buses according to the EIA/TIA-568B standard (CAT 5/6/7 wiring)
- Flexible gooseneck microphone
- 8 zone / function buttons

TECHNICAL SPECIFICATIONS

Microphone specifications

Type:	Electret
Directivity:	Cardioid
Frequency Response (-3dB):	50 Hz ÷ 17 kHz
Total harmonic distortion @1 kHz:	0.10%

Console specifications

Console Type:	Emergency
Working with	DXT 7000
General call:	Yes
Selective call:	Yes
Preamplified:	Yes
Configurable buttons:	Yes
LED indicators:	Yes

Connections

Connectors:	RJ45
Cable:	FTP CAT 5
Daisy-chain:	Yes
Max number in daisy-chain:	8
Interlock:	Yes

Functionalities

Priority:	Yes
Chime tone generator:	Yes

Accessories

Cable included:	Yes
Cable length (m):	5

Standard compliance

EN54-16 certified:	Yes
CE marking:	Yes
CPR number:	1438-CPR-0241

Physical specifications

Cabinet/Case Material:	Metal
------------------------	-------

Size

Height:	55 mm / 2.17 inches
Width:	126 mm / 4.96 inches
Depth:	135 mm / 5.31 inches
Weight:	0.5 kg / 1.1 lbs

Shipping informations

Package Weight:	1 kg / 2.2 lbs
-----------------	----------------

PART NUMBER

- **14322015**

BM 7608

EAN 8024530007140

DRAWINGS

