


ELISA 50

FLUSH-MOUNT WALL SPEAKER

DESCRIPTION

Superior quality speakers with attractive, contemporary designs and quick, easy installation. The E.L.I.S.A. 50 can be used in smaller spaces when used individually, or in larger environments when several speakers are used together. Quick and easy installation thanks to magnetic cover-plate hooking.



FEATURES

- For high quality paging and background music
- Music power/RMS: 12/6W (20/10W in use without transformer, 40)
- 3" extended range speaker with central equaliser, carbon fibre cone
- Equipped with multi-tapped transformer for 100/70/25V constant voltage connection
- Flush mount box with soundproof material included
- Front frame in ABS and metal grille RAL 9010 White

TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response (-10dB):	120 Hz ÷ 16000 Hz
	Max SPL @ 1m:	99 dB
	Horizontal coverage angle:	160°
	System Sensitivity:	88 dB
Power section	Nominal Impedance (ohm):	4 ohm
	Power Handling:	6 W RMS
	Peak Power Handling:	24 W PEAK
	Recommended Amplifier:	12 W
Transducers	Fullrange:	3.5"
Input/Output section	Input connectors:	Screw Terminals
	Output connectors:	Screw Terminals
	Constant Voltage Transformer:	70/100 V
	Power selection 1 (100 V):	6 W - 1667 ohm
	Power selection 2 (100 V):	3 W - 3333 ohm
	Power selection 3 (100 V):	1 W - 10000 ohm
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	ABS
	Grille:	Steel
	Color:	White - RAL 9010
Size	Height:	110 mm / 4.33 inches
	Width:	170 mm / 6.69 inches
	Depth:	43 mm / 1.69 inches
	Weight:	0.45 kg / 0.99 lbs
Shipping informations	Package Height:	95 mm / 3.74 inches
	Package Width:	200 mm / 7.87 inches
	Package Depth:	130 mm / 5.12 inches
	Package Weight:	1.1 kg / 2.43 lbs

PART NUMBER

- **13110071**

ELISA 50

EAN 8024530005009

DRAWINGS

