

CS 3082

COLUMN SPEAKER SLIM LINE

DESCRIPTION

CS 3082 is formed in an ultra slimline design offering minimal visual impact. Easy installation can be achieved with either the supplied 'L' shaped wall brackets or the optional AC WM-CS swivel bracket, which allows the installer to angle the speaker to suit. The new CS Slimline Columns have been optimised for speech reproduction using extended range 2 inch speakers and 1 inch tweeters.



FEATURES

- Ideal for speech reproduction, shape designed to enable corner installation
- Music power/RMS: 60/30W
- Eight 50 mm (2") diameter extended range speakers and two tweeter 25 mm (1")
- Body in extruded aluminium bake-painted RAL 9016 White and front metal grille RAL 9016 White, includes accessory for wall mounting
- Built-in multi-tapped transformer (30 - 20 - 10 W) for 100 V constant voltage connection
- 8 Ohm input that can be selected on the terminal block
- Audio connection on screw terminal block

TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response (-10dB):	200 Hz ÷ 20000 Hz
	Max SPL @ 1m:	106 dB
	Horizontal coverage angle:	180°
	Vertical coverage angle:	30°
	System Sensitivity:	91 dB
Power section	Nominal Impedance (ohm):	8 ohm
	Power Handling:	30 W RMS
	Peak Power Handling:	120 W PEAK
	Recommended Amplifier:	60 W
Transducers	Dome Tweeter:	2 x 1.0"
	Woofers:	8 x 2.0"
Input/Output section	Input connectors:	Screw Terminals
	Output connectors:	Screw Terminals
	Constant Voltage Transformer:	100 V
	Power selection 1 (100 V):	30 W - 333 ohm
	Power selection 2 (100 V):	20 W - 500 ohm
	Power selection 3 (100 V):	10 W - 1000 ohm
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	Aluminium
	Hardware:	Wall mount bracket
	Grille:	Steel
	Color:	White - RAL 9016
Size	Height:	670 mm / 26.38 inches
	Width:	78 mm / 3.07 inches
	Depth:	66 mm / 2.6 inches
	Weight:	2.7 kg / 5.95 lbs
Shipping informations	Package Height:	700 mm / 27.56 inches
	Package Width:	140 mm / 5.51 inches
	Package Depth:	135 mm / 5.31 inches
	Package Weight:	3.4 kg / 7.5 lbs

PART NUMBER

- **13000232**

CS 3082

EAN 8024530006860

DRAWINGS

