

L-PAD 24CX

24 CHANNEL MIXING CONSOLE WITH EFFECTS

DESCRIPTION

The L-PAD 24CX USB is a 24-channel, 4-bus mixer with 18 Mic/Line, 4 Stereo Input, 4 Group out, EQ, 8 single-control compressors and internal effects, for any live performance reinforcement. It features 18 transparent sound, ultra-low noise microphone inputs with balanced XLR connector, or alternatively 16 mono line input with insert send/return, a three-band EQ with a sweepable mid frequency on 16 channels, 4 channels of stereo inputs with 4-band fixed EQs, and 4-groups assignable sub mixes, 60mm long-live extra smooth faders and four AUX sends per channel (2 Pre/Post switchable pots). The L-PAD 24CX USB gives you all the features you need to mix any professional live performance.



FEATURES

- 18 MIC/LINE inputs, 4 STEREO inputs
- 8 single-control dynamic compressors (Ch. 1-Ch.8)
- 4 STEREO AUX returns
- 3-band EQ with sweepable MID Frequency on microphone channels
- 4-band fixed EQ on stereo line channels
- 4 AUX sends per channel: 2 PRE/POST faders switchable
- 4-GROUP MIX
- 24-bit DSP effects for 99 presets
- USB port for PC audio recording and playback

TECHNICAL SPECIFICATIONS

Electronic specifications Frequency Response: 20 Hz ÷ 20000 kHz

Inputs

Mic:	18
Gain Range:	0 dB ÷ 50 dB
Mic Inputs Impedance:	10 kohm
Low Cut:	75 Hz
Phantom Power +48V:	Yes
Mono Line:	4
Gain Selection:	20 dB ÷ 30 dB
Line Input Impedance:	1 kohm

Outputs

Main MIX:	1
Control Room:	Yes
FX Send:	1
AUX Send:	1
AUX Output:	4
Phones:	2
2 Track:	Yes

Outputs specifications

Main Out Level:	28 dBu
Aux Out Level:	22 dBu
Group Out Level:	22 dBu

EQ Input Channels EQ: 1 Semi Parametric / 2 Shelving 3

Auxiliary sends

AUX:	2 POST / 2 PRE/POST
FX POST:	1

Internal Effects Send Effects: 1

USB audio

Type:	B
Play trk:	2
Rec trk:	2
Supported Play Formats:	wave
Supported Rec Format:	wave

Other features Footswitch: Yes



Electrical specifications	Power supply:	Internal
	Voltage requirements:	100 V - 240 V
	Power consumption (MAX):	70 W
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	Metal
	Color:	Black
Size	Height:	85 mm / 3.35 inches
	Width:	735 mm / 28.94 inches
	Depth:	460 mm / 18.11 inches
	Weight:	9.7 kg / 21.38 lbs
Shipping informations	Package Height:	155 mm / 6.1 inches
	Package Width:	830 mm / 32.68 inches
	Package Depth:	540 mm / 21.26 inches
	Package Weight:	11.67 kg / 25.73 lbs

PART NUMBER

- **17140072**
L-PAD 24CX
90-240V, US
EAN 8024530012281
 - **17140069**
L-PAD 24CX
240V, AU
EAN 8024530012250
- **17140071**
L-PAD 24CX
90-240V, EU
EAN 8024530012274
 - **17140068**
L-PAD 24CX
100V, JP
EAN 8024530012243
- **17140070**
L-PAD 24CX
240V, UK
EAN 8024530012267