

# BS 2620

## SUSPENDED SPEAKER

### DESCRIPTION

The BS 2620 is a spherical speaker designed for suspended installation. Ideal for covering large areas, it incorporates a 160 mm (6") dual cone loudspeaker which provides high quality sound reproduction.



### FEATURES

- Pendant speaker
- For paging and background music
- Music power/RMS: 40/20W
- 6" diameter dual cone wide band speaker
- 5-metre suspension and connection cable included
- Water-resistant construction (IP55) for use both indoors and outdoors
- Body in self-extinguishing plastic UL94VO, UV ray protected
- Colour RAL 9010 white

## TECHNICAL SPECIFICATIONS

<b>Acoustical specifications</b>	Frequency Response (-10dB):	100 Hz ÷ 20000 Hz
	Max SPL @ 1m:	106 dB
	Coverage angle:	180°
	System Sensitivity:	93 dB
<b>Power section</b>	Nominal Impedance (ohm):	8 ohm
	Power Handling:	20 W RMS
	Peak Power Handling:	80 W PEAK
	Recommended Amplifier:	40 W
<b>Transducers</b>	Fullrange:	6.0"
<b>Input/Output section</b>	Input connectors:	Cable
	Output connectors:	Cable
	Constant Voltage Transformer:	100 V
	Power selection 1 (100 V):	20 W - 500 ohm
	Power selection 2 (100 V):	10 W - 1000 ohm
	Power selection 3 (100 V):	5 W - 2000 ohm
Power selection 4 (100 V):	2.5 W - 4000 ohm	
<b>Standard compliance</b>	CE marking:	Yes
<b>Physical specifications</b>	Cabinet/Case Material:	Plastic
	Hardware:	Carabiner and safety steel wire
	Grille:	Plastic
	Color:	White - RAL 9010
<b>Size</b>	Height:	240 mm / 9.45 inches
	Diameter:	260 mm / 10.24 inches
	Weight:	1.79 kg / 3.95 lbs
<b>Shipping informations</b>	Package Height:	290 mm / 11.42 inches
	Package Width:	270 mm / 10.63 inches
	Package Depth:	270 mm / 10.63 inches
	Package Weight:	2.85 kg / 6.28 lbs


## PART NUMBER







- **13110006**

BS 2620







EAN 8024530010089

**DRAWINGS**





HORIZONTAL 1/3 POLAR PLOT



VERTICAL 1/3 POLAR PLOT

