

BM 3014

PREAMPLIFIED PAGING MICROPHONE

DESCRIPTION

Unidirectional cardoid-pattern microphone with high sensitivity and extended frequency response. Factory-fitted for direct connection to the AM4000 series, PR4092, EL2126 CD sintoamplifier and 1000 series amplifiers.



FEATURES

- Plastic body with 320 mm gooseneck
- Pushbutton for momentary microphone activation
- Connections on screw terminals inside

TECHNICAL SPECIFICATIONS

Microphone specifications	Type:	Desktop paging microphone with dynamyc capsule
	Directivity:	Unidirectional Cardioid
	Frequency Response (-3dB):	100 Hz ÷ 12 kHz
Console specifications	Console Type:	Paging
	General call:	Yes
Functionalities	Priority:	Yes
Accessories	Cable included:	Yes
	Cable length (m):	5
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	Plastic
	Color:	Grey
Size	Height:	270 mm / 10.63 inches
	Width:	200 mm / 7.87 inches
	Depth:	132 mm / 5.2 inches
	Weight:	1.3 kg / 2.87 lbs
Shipping informations	Package Height:	240 mm / 9.45 inches
	Package Width:	380 mm / 14.96 inches
	Package Depth:	165 mm / 6.5 inches
	Package Weight:	2.2 kg / 4.85 lbs

PART NUMBER

- **14320135**

BM 3014

EAN 8024530000325

DRAWINGS

