




HDL 26-A

ACTIVE TWO WAY LINE ARRAY MODULE



Description The RCF HDL26-A is an ultra-compact bi-amped two-way active touring system for small and medium-sized events, both indoors and outdoors. Due to the advanced transducer design and the 2000W Class-D amplifier, among the best in its class, it is capable of an extended bottom-end and a pristine sound for a wide range of applications, alone or in RDNet managed line-array configurations. The HDL 35-AS is the ideal flyable bass complement for the HDL 26-A array system.

- Features**
- › 133 dB Max SPL
 - › 2000W Two-Way Amplifier
 - › Exclusive FIRPHASE technology on-board
 - › 750 Hz Crossover for best vocal reproduction
 - › RDNet Networked Management
 - › 3" Titanium Compression Driver
 - › 2 x 6" High-Powered Neodymium Woofers
 - › 4 PATH waveguide


Part Number	13000588 HDL 26-A	90-240 V	Black	EAN 8024530016845
	13000606 HDL 26-A W	90-240 V	White	EAN 8024530017422
	13000917 HDL 26-A UK	240 V	Black	EAN 8024530022464



HDL 26-A

ACTIVE TWO WAY LINE ARRAY MODULE

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	55 Hz ÷ 20000 Hz
	Max SPL @ 1m	133 dB
	Horizontal coverage angle	100°
	Vertical coverage angle	10°
Transducers	Compression Driver	1 x 1.5" neo, 3.0" v.c
	Woofer	2 x 6.0" neo, 2.0" v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	XLR, RDNet Ethercon
	Output connectors	XLR, RDNet Ethercon
	Input sensitivity	+4 dBu
Processor section	Crossover Frequencies	750
	Protections	Thermal, RMS
	Limiter	Soft Limiter
	Controls	Preset, RDNet bypass
Power section	RDNet	Yes
	Total Power	2000 W Peak, 1000 W RMS
	High frequencies	600 W Peak, 300 W RMS
	Low frequencies	1400 W Peak, 700 W RMS
Standard compliance	Cooling	Convection
	Connections	Powercon IN/OUT
	Safety agency	CE compliant
	Physical specifications	Cabinet/Case Material
Hardware		Array fittings
Handles		2 Back
Grille		Steel
Size / Weight	Color	Black, White
	Height	237 mm / 9.33 inches
	Width	470 mm / 18.5 inches
	Depth	377 mm / 14.84 inches
	Weight	13.5 kg / 29.76 lbs



HDL 26-A

ACTIVE TWO WAY LINE ARRAY MODULE

Rigging / Mounting

ACCESSORIES

AZIMUT BRACKETS

13360351 AZM-BR 2X Black EAN 8024530013516

CLUMP BRACKETS

13360371 CL-BR HDL 6 EAN 8024530014360

FLY BARS

13360360 FL-B HDL 6 Black EAN 8024530014209

13360373 FL-B HDL 6 White EAN 8024530014377

FLY BARS PICKUP

13360372 FL-B PK HDL 6 Black EAN 8024530014353

LINK BARS

13360375 FL-B LINK HDL 6-12 2X Black EAN 8024530014414

POLE MOUNT KITS

13360377 PM-KIT 3X HDL 6 Black EAN 8024530014629

QUICK LOCK PINS

13360626 QL-PIN 008 Black EAN 8024530020897

SUSPENSION CHAINS

13360129 HOIST SPACING CHAIN CH 001 Black EAN 8024530020774

Protections

RAIN PROTECTIONS

13360381 RP 1X HDL 6 Black EAN 8024530015169

Transportation

KART WITH WHEELS

13360366 KRT-WH 6X HDL 6 Black EAN 8024530014421

Cables

CABLES

12399019 CBL ETHERCON TO XLR F 0.2M Black EAN 8024530013882

12399020 CBL ETHERCON TO XLR M 0.2M Black EAN 8024530013899

CABLES KIT

13360102 AC XLR 3M3F EAN 8024530006402

12399016 CBL ETHERCON 0.7M Black EAN 8024530013844

12399017 CBL ETHERCON 1.5M Black EAN 8024530013851

12399035 CBL ETHERCON 3M Black EAN 8024530013868

12399018 CBL ETHERCON 5M Black EAN 8024530013875

12399023 CBL LK 25 MULTIPIN 10M Black EAN 8024530013837

12399022 CBL LK 25 MULTIPIN 20M Black EAN 8024530013820

12399024 CBL LKS 19 ARRAY FANOUT Black EAN 8024530013905

12399026 CBL LKS 19 BREAKOUT Black EAN 8024530013929

12399027 CBL LKS 19 POWER 10M Black EAN 8024530013936

13360146 CBL LKS 19 POWER 20M EAN 8024530013943

12399025 CBL LKS 19 SUB FANOUT Black EAN 8024530013912

12399021 CBL LKS 25-2 FANOUT Black EAN 8024530013813

13360145 CBL POWER BOX 6X Black EAN 8024530015534

12399031 CBL POWERCON LINK 0.7M Black EAN 8024530013738

12399030 CBL POWERCON LINK 1.5M Black EAN 8024530013721

12399028 CBL POWERCON LINK 10M Black EAN 8024530013707

12399029 CBL POWERCON LINK 5M Black EAN 8024530013714

13360138 POWER CABLE X6 TTL 55-A