

# MC 5030

## DESKTOP MICROPHONE

### DESCRIPTION

The MC 5030 is a compact table-top microphone on gooseneck, with an excellent voice reproduction. Thanks to its specifications, it's Ideal for conference rooms, board rooms, court-rooms, meeting rooms, houses of worship, announcement posts, etc.

### FEATURES

- Compact die-cast metal base with gooseneck
- Locking pushbutton with LED for microphone activation
- Power supplied by 'Phantom' (12 ÷ 48 V dc)
- 3 m screened and balanced cable with XLR connectors for linking to a mixer / amplifier, with 2 additional wires for command
- Polyurethane foam wind screen

**TECHNICAL SPECIFICATIONS****Microphone specifications**

Type:	Desktop paging microphone with electret capsule
Directivity:	Cardioid
Frequency Response (-3dB):	80 Hz ÷ 14 kHz
Output impedance (ohm):	200.00 ohm
Signal / Noise ratio @1kHz:	61.00 dB
Phantom power:	Yes
Phantom Power:	9 V DC - 48 V DC

**Connections**

Connectors:	XLR
-------------	-----

**Accessories**

Cable included:	Yes
Cable length (m):	3

**Standard compliance**

CE marking:	Yes
-------------	-----

**Physical specifications**

Cabinet/Case Material:	Metal
------------------------	-------

**Size**

Height:	340 mm / 13.39 inches
Diameter:	80 mm / 3.15 inches
Weight:	0.38 kg / 0.84 lbs

**Shipping informations**

Package Height:	90 mm / 3.54 inches
Package Width:	280 mm / 11.02 inches
Package Depth:	110 mm / 4.33 inches
Package Weight:	0.54 kg / 1.19 lbs

**PART NUMBER**

- **14115005**

MC 5030

**DRAWINGS**