

# MQ 60H

## TWO-WAY WALL MOUNT SPEAKER

### DESCRIPTION

The MQ60H is a wall mount monitor speaker designed to guarantee uniform coverage of a large area in order to limit the number of speakers and therefore the installation points.

It is a two-way speaker with three transducers: the 5" woofer and the two horn-loaded dome tweeters with constant directivity are positioned in such a way as to ensure the maximum listening comfort within the area covered. Installation is carried out in two phases: first, you mount the support on the wall and make the electrical connections; when all the works are completed, you insert the speaker and make a quick connection.



### FEATURES

- 5" woofer with 2 x 1" dome tweeter
- Power selectable (100 V): 30 W – 20 W – 10 W – 5 W
- 88 dB sensitivity
- Colour white RAL 9016 and black RAL 9005
- Plastic body, steel grille


**TECHNICAL SPECIFICATIONS**

<b>Acoustical specifications</b>	Frequency Response (-10dB)	100 Hz ÷ 19000 Hz
	Max SPL @ 1m	109 dB
	Horizontal coverage angle	180°
	Vertical coverage angle	100°
	System Sensitivity	88 dB
<b>Power section</b>	Nominal Impedance	16 ohm
	Power Handling	60 W RMS
	Peak Power Handling	240 W PEAK
	Crossover Frequencies	2000 Hz
<b>Transducers</b>	Dome Tweeter	2 x 1.0"
	Woofer	5.0"
<b>Input/Output section</b>	Input connectors	Euroblock
	Output connectors	Euroblock
	Constant Voltage Transformer	100 V
	Power selection 1	30 W - 333 ohm
	Power selection 2	20 W - 500 ohm
	Power selection 3	10 W - 1000 ohm
	Power selection 4	5 W - 2000 ohm
<b>Standard compliance</b>	Safety agency	CE compliant
<b>Physical specifications</b>	Hardware	Wall mount bracket
	Color	White - RAL 9016, Black - RAL 9005
<b>Size</b>	Height	297 mm / 11.69 inches
	Width	198 mm / 7.8 inches
	Depth	122 mm / 4.8 inches
	Weight	2.85 kg / 6.28 lbs
<b>Shipping information</b>	Package Height	340 mm / 13.39 inches
	Package Width	265 mm / 10.43 inches
	Package Depth	180 mm / 7.09 inches
	Package Weight	3.39 kg / 7.47 lbs

**PART NUMBER**


- |                   |                   |
|-------------------|-------------------|
| • <b>13000072</b> | • <b>13000060</b> |
| MQ 60H B          | MQ 60H W          |
| Black - RAL 9005  | White - RAL 9016  |
| EAN 8024530005559 | EAN 8024530005498 |

DRAWINGS








Response 1W/1m



Impedance









Directivity Index and Q











Horizontal 1/3 Polar Plot



Vertical 1/3 Polar Plot





**ACCESSORIES**

MQ60H LINK-B (BLACK)

PART NUMBER      **13360081**  
EAN:                    8024530005818

---

## **A&E SPECIFICATIONS**

The product shall be a wall mount monitor speaker designed to guarantee uniform coverage of a large area, in order to limit the number of speakers and therefore the installation points.

It shall be a two-way speaker with three transducers: a 5" woofer and two horn-loaded dome tweeters with constant directivity positioned in such a way as to ensure the maximum listening comfort within the area covered.

Installation shall be carried out in two phases: first, wall-mount support fixing and electrical connections, then speaker insertion.