TTP 4-A

NARROW DIRECTIVITY TWO-WAY SPEAKER

Description

The TTP 4-A point source speaker module delivers top-quality sound for highly demanding events indoors or outdoors on small to medium-sized areas. Its design provides the audio engineer with the best tonal balance and intelligibility with an unobtrusive and adaptable footprint. It is the preferred sound set-up for stacked and flown systems when a controlled dispersion is required. With all the advantages of TT+ technology, such as coherent directivity, power, and precision, it's designed for professional applications.

Features

› 135 dB max SPL
› 60° x 25° coverage
› LF 2 x 10" neodymium woofer, 3.0" voice coil
› HF 1.5" Nd comp. driver 4.0" voice coil
› 2 x Class-D amplifiers, 1600 Watt RMS total power
› 45 – 20.000 Hz frequency range
› RDNet on board
› FiRPHASE 0° linear phase

Part Number

13000604 TTP 4-A	90-240 V	Black	EAN 8024530017767

TTP 4-A

NARROW DIRECTIVITY TWO-WAY SPEAKER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	45 Hz - 20000 Hz
	Max SPL @ 1m	135 dB
	Horizontal coverage angle	60°
	Vertical coverage angle	25°
Transducers	Compression Driver	1 x 1.5'' neo, 4.0'' v.c
	Woofer	2 x 10'' neo, 3.0'' v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	XLR, RDNet Ethercon
	Output connectors	XLR, RDNet Ethercon
	Input sensitivity	+4 dBu
Processor section	Crossover Frequencies	900Hz
	Protections	Thermal, RMS
	Limiter	Fast Limiter
	Controls	Selectable preset, volume, delay
	RDNet	Onboard
Power section	Total Power	3200 W Peak, 1600 W RMS
	High frequencies	1200 W Peak, 600 W RMS
	Low frequencies	2000 W Peak, 1000 W RMS
	Cooling	Convection
	Connections	Powercon IN/OUT
Standard compliance	Safety agency	CE compliant

TTP 4-A

NARROW DIRECTIVITY TWO-WAY SPEAKER

Physical specifications	Cabinet/Case Material	Baltic birch plywood
	Hardware	Array fittings, 2xM10 on the top, 2xM8 on each side
	Handles	2 Side, 2 Rear
	Grille	Steel
	Color	Black
Size / Weight	Height	825 mm / 32.48 inches
	Width	316 mm / 12.44 inches
	Depth	369 mm / 14.53 inches
	Weight	30.4 kg / 67.02 lbs

ACCESSORIES

Rigging / Mounting

FLOOR STANDS

13360109	AC PRO-FS	Black	EAN 8024530006471

FLY BARS

13360423	FL-B V TT 4	Black	EAN 8024530017668
13360697	FLB60697	Black	EAN 8024530023034

FLY BARS PICKUP

13360372	FL-B PK HDL 6	Black	EAN 8024530014353
13360696	FLB60696	Black	EAN 8024530023027

POLE MOUNT KITS

13360232	AC PMX		EAN 8024530010058
13360110	AC PRO-PM	Black	EAN 8024530006488

SUSPENSION CHAINS

13360129	HOIST SPACING CHAIN CH 001	Black	EAN 8024530020774

VERTICAL BRACKETS

13360427	V-BR TT 4	Black	EAN 8024530017637
13360698	VBR60698	Black	EAN 8024530023041

Protections

COVERS

13360440	CVR TT 4	Black	EAN 8024530017583

Cables

CABLES

12399019	CBL ETHERCON TO XLR F 0.2M	Black	EAN 8024530013882
12399020	CBL ETHERCON TO XLR M 0.2M	Black	EAN 8024530013899

CABLES KIT

13360102	AC XLR 3M3F		EAN 8024530006402
12399016	CBL ETHERCON 0.7M	Black	EAN 8024530013844
12399017	CBL ETHERCON 1.5M	Black	EAN 8024530013851
12399035	CBL ETHERCON 3M	Black	EAN 8024530013868
12399018	CBL ETHERCON 5M	Black	EAN 8024530013875
12399031	CBL POWERCON LINK 0.7M	Black	EAN 8024530013738
12399030	CBL POWERCON LINK 1.5M	Black	EAN 8024530013721