

DU 31

FLUSH MOUNT WALL SPEAKER

DESCRIPTION

The DU 31 is a two way wall speaker with flexible design suitable for paging and background music for several type of installations. It is equipped with a 4" woofer and a 1" tweeter. The DU 31 includes a transformer for the connection to (100 - 70 V) constant voltage lines. A power selector 8 W, 4 W, 2 W at 100 V and a 25 V (8 W) socket make it possible to connect multiple speakers in parallel to a constant impedance line. Rear cover A1331 not included



FEATURES

- Power: 8-4-2 W (100 V) / 8 W (25 V)
- Constant voltage: 100 V, 70 V, 25 V
- Frequency response 100 - 17000 Hz
- 180° angle of coverage
- Body in plastic, RAL 9002 white ivory

TECHNICAL SPECIFICATIONS


Acoustical specifications	Frequency Response (-10dB):	100 Hz ÷ 17000 Hz
	Max SPL @ 1m:	91 dB
	Coverage angle:	180°
	System Sensitivity:	82 dB
Power section	Power Handling:	8 W RMS
	Peak Power Handling:	32 W PEAK
	Recommended Amplifier:	16 W
Transducers	Dome Tweeter:	1.0"
	Woofer:	4.0"
Input/Output section	Input connectors:	Screw Terminals
	Output connectors:	Screw Terminals
	Constant Voltage Transformer:	100 V
	Power selection 1 (100 V):	8 W - 1250 ohm
	Power selection 2 (100 V):	4 W - 2500 ohm
	Power selection 3 (100 V):	2 W - 5000 ohm
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	Plastic
	Grille:	Steel
	Color:	White - RAL 9002
Size	Height:	175 mm / 6.89 inches
	Width:	151 mm / 5.94 inches
	Depth:	56 mm / 2.2 inches
	Weight:	0.6 kg / 1.32 lbs
Shipping informations	Package Height:	260 mm / 10.24 inches
	Package Width:	100 mm / 3.94 inches
	Package Depth:	175 mm / 6.89 inches
	Package Weight:	0.89 kg / 1.96 lbs







PART NUMBER

- **13000204**







DU 31

EAN 8024530006839

DRAWINGS



HORIZONTAL 1/3 POLAR PLOT



VERTICAL 1/3 POLAR PLOT

