




TTL 36-AS

ACTIVE LINE ARRAY SUBWOOFER MODULE



Description

The TTL36-AS is the ideal flyable bass complement for the TTL55-A array system. The clam-shell design guarantees the maximum output per size while the 2 x 4.5" voice coil vented 18" woofer design offers the minimum of power compression. The TTL36-AS is perfect to create flown systems for theatrical and indoor requirements. For very large outdoor systems is the perfect complement to reinforce the TTL55-A bass performance in combination with the ultra powerful TTS56-A subwoofers.

Features

- › 4000 Watt (2 x 2000 W digital switching amplifiers)
- › 2 x 18" high power neodymium woofer, 4.5" v. c.
- › 96 KHz, 32 bit DSP processing
- › Remote monitoring and control
- › Time delay alignment
- › Cardioid preset for stacking groups of 3
- › Tour grade Baltic birch cabinet, integrated rigging
- › RDNet on board
- › Maximum output per size

Part Number

13000271 TTL 36-AS

90-240 V

Black


EAN 8024530009083



TTL 36-AS

ACTIVE LINE ARRAY SUBWOOFER MODULE

Line Art 2D



TTL36-AS

Acoustical specifications

Frequency Response
Max SPL @ 1m

35 Hz ÷ 120 Hz
142 dB

Transducers

Woofer

2 x 18" neo, 4.5" v.c

Input/Output section

Input signal
Input connectors
Output connectors
Input sensitivity

bal/unbal
XLR, RDNet Ethercon
XLR, RDNet Ethercon
-2 dBu/+10 dBu

Processor section

Hi-Pass Frequencies
Low-Pass Frequencies
Protections
Limiter
Controls
RDNet

100 Hz
80 Hz
Thermal, Excurs., RMS
Soft Limiter
DSP Controlled
Yes

Power section

Total Power
Low frequencies
Cooling
Connections

8000 W Peak, 4000 W RMS
8000 W Peak, 4000 W RMS
Convection/Forced
Powercon IN/OUT

Standard compliance

Safety agency

CE compliant

Physical specifications

Cabinet/Case Material
Hardware
Handles
Grille
Color

Baltic birch plywood
Array flyware
3 side
Steel
Black

Size / Weight

Height
Width
Depth
Weight

536 mm / 21.1 inches
1022 mm / 40.24 inches
970 mm / 38.19 inches
120 kg / 264.55 lbs



TTL 36-AS

ACTIVE LINE ARRAY SUBWOOFER MODULE

Rigging / Mounting	ACCESSORIES			
	AZIMUT BRACKETS			
	13360351 AZM-BR 2X	Black		EAN 8024530013516
	FLY BARS			
	13360120 FL-B TTL 55	Black		EAN 8024530018214
	FLY BARS LONG			
	13360207 FL-B LG TTL 55	Black		EAN 8024530016272
	FLY BARS PICKUP			
	13360127 FL-B PK TTL 55	Black		EAN 8024530018207
	LINK BARS			
	13360131 FL-B LINK TTL 55-33-31	Black		
	QUICK LOCK PINS			
	13360122 QL-PIN D11.1 L25.4 4X	Silver		EAN 8024530017972
Protections	SUSPENSION CHAINS			
	13360129 HOIST SPACING CHAIN CH 001	Black		EAN 8024530020774
	13360128 SAFETY CHAIN CH 002	Black		EAN 8024530020767
Transportation	RAIN PROTECTIONS			
	13360137 RP 1X TTS 56	Black		
Cables	WHEELS			
	13360238 WH PRO 4X			EAN 8024530018320
	CABLES			
	12399019 CBL ETHERCON TO XLR F 0.2M	Black		EAN 8024530013882
	12399020 CBL ETHERCON TO XLR M 0.2M	Black		EAN 8024530013899
	CABLES KIT			
	13360102 AC XLR 3M3F			EAN 8024530006402
	12399016 CBL ETHERCON 0.7M	Black		EAN 8024530013844
	12399017 CBL ETHERCON 1.5M	Black		EAN 8024530013851
	12399035 CBL ETHERCON 3M	Black		EAN 8024530013868
	12399018 CBL ETHERCON 5M	Black		EAN 8024530013875
	12399023 CBL LK 25 MULTIPIN 10M	Black		EAN 8024530013837
	12399022 CBL LK 25 MULTIPIN 20M	Black		EAN 8024530013820
	12399024 CBL LKS 19 ARRAY FANOUT	Black		EAN 8024530013905
	12399026 CBL LKS 19 BREAKOUT	Black		EAN 8024530013929
	12399027 CBL LKS 19 POWER 10M	Black		EAN 8024530013936
	13360146 CBL LKS 19 POWER 20M			EAN 8024530013943
	12399025 CBL LKS 19 SUB FANOUT	Black		EAN 8024530013912
	12399021 CBL LKS 25-2 FANOUT	Black		EAN 8024530013813
	13360145 CBL POWER BOX 6X	Black		EAN 8024530015534
	12399031 CBL POWERCON LINK 0.7M	Black		EAN 8024530013738
	12399030 CBL POWERCON LINK 1.5M	Black		EAN 8024530013721
	12399028 CBL POWERCON LINK 10M	Black		EAN 8024530013707
	12399029 CBL POWERCON LINK 5M	Black		EAN 8024530013714
	13360138 POWER CABLE X6 TTL 55-A			