

BM 3804

DESK-TOP EMERGENCY MICROPHONE CONSOLE

DESCRIPTION

BM 3804 is a desk-top emergency microphone console exclusively dedicated to DXT 3000 Voice Alarm system, and can be used both for live announcements and pre-recorded messages activation. It features complete self-diagnostic functionalities and system status reporting in compliance with EN 54-16:2008 standard. Up to four consoles can be daisy-chained on the line, the first of those has emergency functions and it is powered directly by the master unit, while the others need local 24 V DC adapters.



FEATURES

- Live emergency announcements
- Pre-recorded messages activation
- Complete self-diagnostic
- Powered by master unit
- Hi-quality cardioid microphone
- Robust metal case

TECHNICAL SPECIFICATIONS

Microphone specifications	Directivity:	Cardioid
	Sensitivity:	-65 dB
	Frequency Response (-3dB):	50 Hz ÷ 18 kHz
	Output impedance (ohm):	470.00 ohm
Console specifications	Console Type:	Emergency
	Working with	DXT 3000
	General call:	Yes
	Selective call:	Yes
	Preamplified:	Yes
	LED indicators:	Yes
Power requirement	Operating voltage:	24.00V - Hz
Connections	Connectors:	RJ45
	Cable:	J-Type fire-rated
	Daisy-chain:	Yes
	Max number in daisy-chain:	4
	Interlock:	Yes
Functionalities	Priority:	Yes
	Chime tone generator:	Yes
Accessories	Cable included:	Yes
	Cable length (m):	5
Standard compliance	Safety agency:	CE compliant
	EN54-16 certified:	Yes
	CPR number:	0068-CPR-007/2015
Size	Height:	44 mm / 1.73 inches
	Width:	203 mm / 7.99 inches
	Depth:	128 mm / 5.04 inches
	Weight:	1.2 kg / 2.65 lbs
Shipping information	Package Height:	154 mm / 6.06 inches
	Package Width:	434 mm / 17.09 inches
	Package Depth:	174 mm / 6.85 inches
	Package Weight:	1.12 kg / 2.47 lbs




PART NUMBER

- **14380028**

BM 3804


EAN 8024530012137

DRAWINGS



PANELS

Front panel



ACCESSORIES



CJ 428CAT CABLE FTP 4x2x22 AWG CAT 5E FR
(PH120)

PART NUMBER **12399047**
EAN: 8024530016449



POWER SUPPLY AC AD2405 24V 500MA

PART NUMBER **14380022**
EAN: 8024530007027



A&E SPECIFICATIONS

The product shall be a desk-top emergency paging microphone / console exclusively dedicated to a voice alarm system.

It can be used both for live announcements and pre-recorded evacuation / alert messages activation.

It shall feature complete self-diagnostic functionalities and system status reporting in compliance with EN 54-16 standard.

Up to four paging consoles can be daisy-chained on the same line, the first shall have emergency functions and be powered directly by the master unit (the others can be powered by local 24 V dc adapters).

If necessary, every paging microphone can be expanded with additional keyboards having 6 zone buttons.