

BM 404 DESKTOP PAGING MICROPHONE

DESCRIPTION

BM 404 is a desktop paging console that allows making selective calls to 4 zones. Specifically designed as a complement for Business Music systems, such as DMA amplifiers, the console is made of a shockresistant polymeric body, fitted with an electret microphone on a 230 mm gooseneck, and a polyurethane foam windscreen. Connect up to 4 consoles on a single chain (interlocked) to each amplifier with a CAT5 cable (included). Dedicated buttons with LEDs allow for microphone activation and zone selection. Chime tone is selectable with a single on/off switch. The RCF BM-404 is ready to use out of the box and does not require any configuration.



FEATURES

- Shock-resistant polymeric body
- High-quality electret microphone with 230 mm long gooseneck
- Zones selection and PTT buttons with LED
- 16ft / 5m connection cable included
- External power supply included



TECHNICAL SPECIFICATIONS

Microphone specifications	Directivity	Hypercardioid
	Sensitivity	-55 dB
	Frequency Response (-3dB)	50 Hz ÷ 20 kHz
	Output impedance (ohm)	250.00 ohm
Console specifications	Console Type	Paging
	Working with	DMA 82 and DMA 162
	General call	Yes
	Selective call	Yes
	Number of zones	4
	Preamplified	Yes
	LED indicators	Yes
Power requirement	Operating voltage	24.00V ~ Hz
Connections	Connectors	RJ45
	Cable	FTP CAT 5
	Daisy-chain	Yes
	Max number in daisy-chain	4
	Interlock	Yes
Functionalities	Priority	Yes
	Chime tone generator	Yes
	Automatic gain control	Yes
Accessories	Cable included	Yes
	Cable length (m)	5
Physical specifications	Color	Black - RAL 9005
Size	Height	40 mm / 1.57 inches
	Width	181 mm / 7.13 inches
	Depth	89 mm / 3.5 inches
	Weight	0.45 kg / 0.99 lbs
Shipping information	Package Height	130 mm / 5.12 inches
	Package Width	330 mm / 12.99 inches
	Package Depth	150 mm / 5.91 inches

PART NUMBER

· 14322031


BM 404


EAN 8024530017903






DRAWINGS







PANELS

Front panel

