MQ 50

2 WAY COMPACT SPEAKER

Description

It is a two-way speaker with 5” woofer and waveguide-loaded dome tweeter to ensure intelligibility and correct dispersion of the sound over a wide angle of coverage. The built-in support makes the MQ50 easy to install and enables close fitting to the wall, limiting its protrusion.
The exclusive attachment system designed for the MQ50 model allows the installer to fit the attachment bracket to the wall and make the electrical connections during the pre-installation phase; subsequently, when all the works are completed, the MQ50 is positioned, oriented, and connected with a simple “click”, without the need for tools.

Features

› Two way Bass refl ex speaker for music reproduction
› Speaker: woofer 5" - tweeter 0,75" dome
› Power/RMS: 120/60 W Bypass
› Crossover frequencies: 4500 Hz, 12/12 dB/oct

Part Number

13000056 MQ 50 W	White	EAN 8024530005474
13000070 MQ 50 B	Black	EAN 8024530005535

MQ 50

DRAWINGS

2 WAY COMPACT SPEAKER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response (-10dB)	70 Hz - 20000 Hz
	Max SPL @ 1m	110 dB
	Horizontal coverage angle	120°
	Vertical coverage angle	100°
	System Sensitivity	89 dB
Power section	Nominal Impedance	16 ohm
	Power Handling	60 W
	Peak Power Handling	240 W PEAK
	Crossover Frequencies	4500 Hz
Transducers	Dome Tweeter	1 x 0.75''
	Woofer	1 x 5.0''
Input/Output section	Input connectors	Euroblock
	Output connectors	Euroblock
	Power selection 1	30 W - 333 ohm
	Power selection 2	20 W - 500 ohm
	Power selection 3	10 W - 1000 ohm
	Power selection 4	5 W - 2000 ohm
Standard compliance	Safety agency	CE compliant
Physical specifications	Cabinet/Case Material	Plastic
	Hardware	Wall mount bracket
	Grille	Steel
	Color	White, Black

MQ 50

2 WAY COMPACT SPEAKER

Size / Weight	Height	245 mm / 9.65 inches
	Width	165 mm / 6.5 inches
	Depth	175 mm / 6.89 inches
	Weight	2.63 kg / 5.8 lbs