



# SUB 708-AS MK3

ACTIVE SUBWOOFER



## Description

The SUB 708-AS mk3 is a portable 18" high-power active subwoofer for live sound applications. It features a state-of-the-art transducer with a high-power ceramic magnetic circuit and a powerful Class-D amplifier that delivers sound pressure levels up to 133 dB with exceptional headroom. Designed as the ideal complement for 8" or 10" loudspeakers, it provides outstanding performance in any application. Rear panel controls include volume, EQ, polarity, and crossover frequency selection. The rugged all-wood cabinet with scratch-resistant polyurea coating makes it durable, easy to carry and install securely. With its versatility, sound quality, and high power output, the SUB 708-AS MK3 is perfect for small to mid-sized venues and portable applications.

## Features

- › 1400 Watt Class-D Amplifier
- › 18" Woofer, bass reflex housing
- › Stereo Crossover
- › Switchable Crossover Frequencies
- › Polarity-reverse switch
- › Electronic equalization, soft limiter and protection
- › Stereo XLR input, Stereo XLR signal output
- › Bass Motion Control excursion management

## Part Number

13000809 SUB 708-AS MK3  
13000810 SUB 708-AS MK3

220-240 V  
100-120 V

Black  
Black


EAN 8024530020491  
EAN 8024530021368



# SUB 708-AS MK3

ACTIVE SUBWOOFER

Line Art 2D



## TECHNICAL SPECIFICATIONS

<b>Acoustical specifications</b>	Frequency Response	35 Hz ÷ 120 Hz
	Max SPL @ 1m	133 dB
<b>Transducers</b>	Woofer	1 x 18", 3.0" v.c
<b>Input/Output section</b>	Input signal	bal/unbal
	Input connectors	XLR
	Output connectors	XLR
	Input sensitivity	-2 dBu/+4 dBu
<b>Processor section</b>	Hi-Pass Frequencies	110 Hz
	Low-Pass Frequencies	80 Hz
	Protections	Thermal, RMS
	Limiter	Soft Limiter
	Controls	Volume, EQ, Phase, Xover
<b>Power section</b>	Total Power	1400 W Peak, 700 W RMS
	Low frequencies	1400 W Peak, 700 W RMS
	Cooling	Convection
	Connections	VDE
<b>Standard compliance</b>	Safety agency	CE compliant
<b>Physical specifications</b>	Cabinet/Case Material	Baltic birch plywood
	Handles	One each side
	Pole mount/Cap	M20 thread
	Grille	Steel with clothing
	Color	Black
<b>Size</b>	Height	693 mm / 27.28 inches
	Width	505 mm / 19.88 inches
	Depth	685 mm / 26.97 inches
	Weight	40.6 kg / 89.51 lbs

## ACCESSORIES

**Rigging / Mounting** POLE MOUNT KITS



# SUB 708-AS MK3

ACTIVE SUBWOOFER

<b>Rigging / Mounting</b>	13360067 PM-KIT M20	Black	EAN 8024530014599
<b>Protections</b>	<b>BAGS, COVERS</b>		
	13360530 CVR 003	Black	EAN 8024530020422
<b>Transportation</b>	<b>WHEELS</b>		
	13360238 WH PRO 4X		EAN 8024530018320