TT 1-A II

ACTIVE TWO-WAY SPEAKER

Description

The TT 1-A provides an extremely high-power output of 131 dB SPL max with low distortion in a vented two-way enclosure. The two-channel, class D power amplifier yields a total power output of 800 W RMS with FiRPHASE 0° linear phase DSP processing, a complete set of protection circuitry and onboard RDNet for remote control and monitoring. The speaker features a neodymium 10” woofer and a 3,0” voice coil, titanium dome compression driver on a large, 90° x 60° constant directivity horn.

Features

› 131 dB max SPL
› 800 W Class-D two-channel amplifier
› 90° x 60° constant directivity coverage
› FiRPHASE for 0° phase response
› Heavy-duty touring cabinet
› 32 bit - 96 kHz processing

Part Number

13000624 TT 1-A II	220-240 V	Black	EAN 8024530018016
13000627 TT 1-A II	115 V	Black	EAN 8024530018023

TT 1-A II

TT1-A

ACTIVE TWO-WAY SPEAKER



Line Art 2D

TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	55 Hz - 20000 Hz
	Max SPL @ 1m	131 dB
	Horizontal coverage angle	90°
	Vertical coverage angle	60°
Transducers	Compression Driver	1 x 1.4'' neo, 3.0'' v.c
	Woofer	1 x 10'' neo, 3.0'' v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	XLR
	Output connectors	XLR
	Input sensitivity	+4 dBu
Processor section	Crossover Frequencies	900 Hz
	Protections	Thermal, RMS
	Limiter	Soft Limiter
	Controls	Gain reduction, RDNet local setup/bypass, time delay, Presets (linear, close, far listening, High - Pass), RDNet on board
	RDNet	Onboard
Power section	Total Power	1600 W Peak, 800 W RMS
	High frequencies	500 W Peak, 250 W RMS
	Low frequencies	1100 W Peak, 550 W RMS
	Cooling	Convection
	Connections	Powercon IN/OUT
Standard compliance	Safety agency	CE compliant

TT 1-A II

ACTIVE TWO-WAY SPEAKER

Physical specifications	Cabinet/Case Material	Baltic birch plywood
	Hardware	Installation/Rental fittings
	Handles	2 side
	Grille	Steel
	Color	Black
Size / Weight	Height	566 mm / 22.28 inches
	Width	333 mm / 13.11 inches
	Depth	370 mm / 14.57 inches
	Weight	25.4 kg / 56 lbs

ACCESSORIES

-	13360111	AC PRO-LF	Black	EAN 8024530006495
	13360035	AC S260		EAN 8024530005030
Rigging / Mounting	**END BRACKETS**			
	13360256	END-PLATE TT 1 2X	Black	EAN 8024530018580
	FLOOR STANDS			
	13360109	AC PRO-FS	Black	EAN 8024530006471
	FLYING BRACKETS			
	13360030	AC DS 4X		EAN 8024530020231
	13360031	AC EB 4X		EAN 8024530018870
	HORIZONTAL BRACKETS			
	13360253	H-BR TT 1	Black	EAN 8024530014568
	INSTALLATION PLATES			
	13360255	PLATE TT 1 2X	Black	EAN 8024530014636
	POLE MOUNT KITS			
	13360034	AC PMA		EAN 8024530007713
	13360232	AC PMX		EAN 8024530010058
	13360110	AC PRO-PM	Black	EAN 8024530006488
	13360067	PM-KIT M20	Black	EAN 8024530014599
	VERTICAL BRACKETS			
	13360254	V-BR TT 1	Black	EAN 8024530016852
Protections	**COVERS**			
	13360244	CVR TT 1	Black	EAN 8024530015206
Cables	**CABLES KIT**			
	13360102	AC XLR 3M3F		EAN 8024530006402