



ST 12-SMA II

ACTIVE STAGE MONITOR



Description The ST 12 SMA II is an active ultra-compact and fully featured speaker for rental companies and musicians. Designed as a professional sound reinforcement solution with up to 130 dB SPL, low distortion and unmatched reliability, it shines in high powered music applications, DJ sets, and vocal reinforcement, with or without subwoofers.

- Features**
- › 1200 Watt
 - › 130 dB max SPL
 - › 90° x 60° coverage
 - › FIRPHASE for 0° Phase Response
 - › 12" Woofer, 2.5" v.c.
 - › 1.0" C.Driver, 1.4 v.c.
 - › Multifunctional cabinet


| | | | | |
|--------------------|-----------------------|-----------|-------|-------------------|
| Part Number | 13000636 ST 12-SMA II | 220-240 V | Black | EAN 8024530017651 |
| | 13000637 ST 12-SMA II | 115 V | Black | EAN 8024530017644 |



ST 12-SMA II

ACTIVE STAGE MONITOR

Line Art 2D



TECHNICAL SPECIFICATIONS

| | | |
|----------------------------------|----------------------------|-----------------------------|
| Acoustical specifications | Frequency Response | 45 Hz ÷ 20000 Hz |
| | Max SPL @ 1m | 129 dB |
| | Horizontal coverage angle | 90° |
| | Vertical coverage angle | 60° |
| Transducers | Compression Driver | 1 x 1.0", 1.4" v.c |
| | Woofer | 1 x 12", 2.5" v.c |
| Input/Output section | Input signal | bal/unbal |
| | Input connectors | XLR, Jack |
| | Output connectors | XLR |
| | Input sensitivity | -2 dBu/+4 dBu |
| Processor section | Crossover Frequencies | 1400 Hz |
| | Protections | RMS, HF |
| | Limiter | Soft Limiter |
| Power section | Total Power | 1200 W Peak, 600 W RMS |
| | High frequencies | 800 W Peak, 400 W RMS |
| | Low frequencies | 400 W Peak, 200 W RMS |
| | Cooling | Convection |
| | Connections | VDE |
| | Standard compliance | Safety agency |
| Physical specifications | Handles | 1 side |
| | Pole mount/Cap | Yes |
| | Color | Black |
| Size | Height | 318 mm / 12.52 inches |
| | Width | 594 mm / 23.39 inches |
| | Depth | 400 mm / 15.75 inches |
| | Weight | 17.3 kg / 38.14 lbs |
| | | |
| | ACCESSORIES | |
| - | AC PRO-LF | 13360111 8024530006495 |



ST 12-SMA II

ACTIVE STAGE MONITOR

| | | | |
|---------------------------|---------------|----------|---------------|
| - | AC S260 | 13360035 | 8024530005030 |
| | AC XLR 3M3F | 13360102 | 8024530006402 |
| Protections | CVR ST 12-SMA | 13360319 | 8024530013455 |
| Rigging / Mounting | AC PMA | 13360034 | 8024530007713 |
| | AC PMX | 13360232 | 8024530010058 |
| | AC PRO-FS | 13360109 | 8024530006471 |
| | AC PRO-PM | 13360110 | 8024530006488 |
| | PM-KIT M20 | 13360067 | 8024530014599 |