

SUB 702-AS MK3

ACTIVE SUBWOOFER

DESCRIPTION

The SUB 702-AS mk3 is a portable 12" highpower active subwoofer for live sound applications. It features a state-of-the-art transducer with a high-power ceramic magnetic circuit and a powerful Class-D amplifier that delivers sound pressure levels up to 129 dB with exceptional headroom. Designed as the ideal complement for 8" or 10" loudspeakers, it provides outstanding performance in any application. Rear panel controls include volume, EQ, polarity, and crossover frequency selection. The rugged allwood cabinet with scratch-resistant polyurea coating makes it durable, easy to carry and install securely. With its versatility, sound quality, and high power output, the SUB 702-AS MK3 is perfect for small to mid-sized venues and portable applications.



FEATURES

- 1400 Watt Class-D Amplifier
- 12" Woofer, bass reflex housing
- Stereo Crossover
- Switchable Crossover Frequencies
- Polarity-reverse switch
- Electronic equalization, soft limiter and protection
- Stereo XLR input, Stereo XLR signal output
- Bass Motion Control excursion management

Rev. K Last update: 16/05/2024



TECHNICAL SPECIFICATIONS

Acquetical enceifications	Fraguency Dechance	40 Hz ÷ 120 Hz
Acoustical specifications	Frequency Response	
	Max SPL @ 1m	129 dB
Transducers	Woofer	12", 2.5" v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	XLR
	Output connectors	XLR
	Input sensitivity	-2 dBu/+4 dBu
Processor section	Hi-Pass Frequencies	110 Hz
	Low-Pass Frequencies	80 Hz
	Protections	Thermal, RMS
	Limiter	Soft Limiter
	Controls	Volume, EQ, Phase, Xover
Power section	Total Power	1400 W Peak, 700 W RMS
	Low frequencies	1400 W Peak, 700 W RMS
	Cooling	Convection
	Connections	VDE
Standard compliance	Safety agency	CE compliant
Physical specifications	Handles	One each side
	Pole mount/Cap	Yes
	Color	Black
Size	Height	523 mm / 20.59 inches
	Width	360 mm / 14.17 inches
	Depth	515 mm / 20.28 inches
	Weight	21.5 kg / 47.4 lbs
Shipping information	Package Height	565 mm / 22.24 inches
	Package Width	575 mm / 22.64 inches
	Package Depth	420 mm / 16.54 inches
	Package Weight	25.5 kg / 56.22 lbs

PART NUMBER


· 13000819 · 13000818

SUB 702-AS MK3 SUB 702-AS MK3

100-120V 220-240V

EAN 8024530021382 EAN 8024530020477







ACCESSORIES

	COVER CVR 005	PART NUMBER EAN:	13360528 8024530020408
7	POLE MOUNT KIT PM-KIT M20	PART NUMBER EAN:	13360067 8024530014599