SUB 8005-AS

ACTIVE HIGH POWER SUBWOOFER

Description

The SUB 8005-AS is on of the most powerful 21” subwoofers in pro-sound category. Featuring a high power, hypervented 21” woofer, with 4.5” inside/outside voice coils, this cabinet is designed to deliver a serious amount of low frequency. Powered by a 2500W digital amplifier module, the SUB 8005-AS can perform in the most demanding situations. The input board includes volume control, deep/punch switch, high pass switch, phase switch, cardioid, time delay.

Features

- 2500 Watt Peak, 1250 Watt RMS
- 137 dB max SPL
- 27 Hz - 120 Hz frequency response
- 21" Woofer, 4.5" voice coil vented woofer
- DSP controlled Input section with selectable presets
- Delay control
- Baltic birch tour grade cabinet
- Compatible with NXL23-A (stacking)
- Compatible with NXL24-A (stacking)
- Multiple configurations with HDL 10-A and HDL 20-A

Part Number

13000422	SUB 8005-AS	220-240 V	Black	EAN 8024530011970
13000423	SUB 8005-AS	115 V	Black	EAN 8024530011987

SUB 8005-AS

ACTIVE HIGH POWER SUBWOOFER





Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	27 Hz - 120 Hz
	Max SPL @ 1m	137 dB
Transducers	Woofer	1 x 21'', 4.5'' v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	XLR
	Output connectors	XLR
	Input sensitivity	-2 dBu/+4 dBu
Processor section	Hi-Pass Frequencies	120 Hz
	Low-Pass Frequencies	90 Hz
	Protections	Thermal, RMS
	Limiter	Fast Limiter
	Controls	Xover, Phase switch, Deep/Punch, Output Delay Settings, Cardioi
Power section	Total Power	2500 W Peak, 1250 W RMS
	Low frequencies	2500 W Peak, 1250 W RMS
	Cooling	Convection
	Connections	Powercon IN/OUT
Standard compliance	Safety agency	CE compliant
Physical specifications	Cabinet/Case Material	Baltic birch plywood
	Hardware	2xM20, 4 x wheels mounting points
	Handles	2 side
	Pole mount/Cap	M20 thread
	Grille	Steel
	Color	Black

SUB 8005-AS

ACTIVE HIGH POWER SUBWOOFER

Size / Weight

Height	825 mm / 32.48 inches
Width	600 mm / 23.62 inches
Depth	805 mm / 31.69 inches
Weight	61.5 kg / 135.58 lbs

ACCESSORIES

Rigging / Mounting

POLE MOUNT KITS

13360068	AC PMA TT	Black	EAN 8024530005825
13360232	AC PMX		EAN 8024530010058
13360067	PM-KIT M20	Black	EAN 8024530014599

STACKING KITS

13360231	STCK-KIT SUB 8006	Black	EAN 8024530018672

Protections

COVERS

13360286	CVR SUB 8004	Black	EAN 8024530011666
13360295	CVR SUB 8005	Black	EAN 8024530014025

Cables

CABLES KIT

13360102	AC XLR 3M3F		EAN 8024530006402