



SUB 9006-AS

ACTIVE HIGH POWER SUBWOOFER



Description

The SUB 9006-AS is one of the most powerful 2x18" subwoofers in the field of live sound. Featuring two high-power hyper-vented 18" neodymium woofers with 4.0" inside-outside voice coils, this cabinet delivers a serious amount of low frequencies. Powered by a 7200 W digital amplifier, the SUB 9006-AS can perform in the most demanding situations. The housing of the SUB 9006-AS matches the RCF D-Line HDL50-A and HDL10-A array systems, enabling to build stacked systems in a perfect combination.

Features

- › 7200 Watt Peak power - 3600 Watt RMS
- › 142 dB max SPL
- › 30 Hz - 400 Hz frequency response
- › 2 x 18" Woofer
- › DSP controlled Input section with selectable presets
- › RDNet remote control
- › Delay control
- › Baltic birch cabinet

Part Number


13000494 SUB 9006-AS	EU	90-240 V	Black	EAN 8024530014148
13000970 SUB 9006-AS	US	90-240 V	Black	EAN 8024530023430



SUB 9006-AS

ACTIVE HIGH POWER SUBWOOFER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	30 Hz ÷ 400 Hz
	Max SPL @ 1m	142 dB
Transducers	Woofer	2 x 18" neo, 4.0" v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	XLR, RDNet Ethercon
	Output connectors	XLR, RDNet Ethercon
	Input sensitivity	+4 dBu
Processor section	Hi-Pass Frequencies	30Hz, 40Hz
	Low-Pass Frequencies	Variable from 50Hz to 400Hz
	Protections	Thermal, RMS
	Limiter	Fast Limiter
	Controls	Gain, EQ, Preset, Phase switch, Output Delay Settings
	RDNet	Onboard
Power section	Total Power	7200 W Peak, 3600 W RMS
	Low frequencies	7200 W Peak, 3600 W RMS
	Cooling	Convection/Forced
	Connections	Powercon IN/OUT
Standard compliance	Safety agency	CE compliant
Physical specifications	Cabinet/Case Material	Baltic birch plywood
	Hardware	2 x M20
	Handles	8 side
	Pole mount/Cap	M20 thread
	Grille	Steel
	Color	Black
Size / Weight	Height	558 mm / 21.97 inches
	Width	1188 mm / 46.77 inches
	Depth	785 mm / 30.91 inches
	Weight	86 kg / 189.6 lbs



SUB 9006-AS

ACTIVE HIGH POWER SUBWOOFER

	ACCESSORIES		
Rigging / Mounting	POLE MOUNT KITS		
	13360232 AC PMX		EAN 8024530010058
	13360067 PM-KIT M20	Black	EAN 8024530014599
	STACKING KITS		
	13360231 STCK-KIT SUB 8006	Black	EAN 8024530018672
Protections	COVERS		
	13360363 CVR SUB 9006	Black	EAN 8024530013776
	RAIN PROTECTIONS		
	13360362 RP 1X SUB 9006	Black	EAN 8024530013783
Transportation	KART WITH WHEELS		
	13360361 KRT-WH SUB 9006	Black	EAN 8024530013769
Cables	CABLES		
	12399019 CBL ETHERCON TO XLR F 0.2M	Black	EAN 8024530013882
	12399020 CBL ETHERCON TO XLR M 0.2M	Black	EAN 8024530013899
	CABLES KIT		
	13360102 AC XLR 3M3F		EAN 8024530006402
	12399016 CBL ETHERCON 0.7M	Black	EAN 8024530013844
	12399035 CBL ETHERCON 3M	Black	EAN 8024530013868
	12399018 CBL ETHERCON 5M	Black	EAN 8024530013875
	12399023 CBL LK 25 MULTIPIN 10M	Black	EAN 8024530013837
	12399022 CBL LK 25 MULTIPIN 20M	Black	EAN 8024530013820
	12399024 CBL LKS 19 ARRAY FANOUT	Black	EAN 8024530013905
	12399026 CBL LKS 19 BREAKOUT	Black	EAN 8024530013929
	12399027 CBL LKS 19 POWER 10M	Black	EAN 8024530013936
	13360146 CBL LKS 19 POWER 20M		EAN 8024530013943
	12399025 CBL LKS 19 SUB FANOUT	Black	EAN 8024530013912
	12399021 CBL LKS 25-2 FANOUT	Black	EAN 8024530013813
	13360145 CBL POWER BOX 6X	Black	EAN 8024530015534
	12399030 CBL POWERCON LINK 1.5M	Black	EAN 8024530013721
	12399028 CBL POWERCON LINK 10M	Black	EAN 8024530013707
	12399029 CBL POWERCON LINK 5M	Black	EAN 8024530013714
	13360138 POWER CABLE X6 TTL 55-A		