SUB 9007-AS

ACTIVE HIGH POWER SUBWOOFER

Description

The SUB 9007-AS is one of the most powerful 2x21" subwoofers in the field of live sound. Featuring two, high power, hyper-vented21" neodymium woofers with 4.0" inside-outside voice coils, this cabinet deliver a serious amount of low frequencies. Powered by a 7200 W digital amplifier, the SUB 9007-AS can perform in the most demanding situations. The housing of the SUB 9007-AS match the RCF D-Line HDL 50 and HDL 20 array systems, enabling stacked systems matched a perfect combination.

Features

- 7200 Watt Peak power - 3600 Watt RMS
- 141 dB max SPL
- 20 Hz ÷ 400 Hz frequency response
- 2 x 21" Woofer
- DSP controlled Input section with selectable presets
- Delay control
- Integrated mechanics for multiple configurations with HDL50-A 4k, HDL 20-A, HDL 10-A
- RDNet remote and control
- Baltic birch tour grade cabinet

Part Number

13000493 SUB 9007-AS	90-240 V	Black	EAN 8024530013578

SUB 9007-AS

ACTIVE HIGH POWER SUBWOOFER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	20 Hz - 400 Hz
	Max SPL @ 1m	141 dB
Transducers	Woofer	2 x 21" neo, 4.0" v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	XLR, RDNet Ethercon
	Output connectors	XLR, RDNet Ethercon
	Input sensitivity	+4 dBu
Processor section	Hi-Pass Frequencies	25Hz, 35Hz
	Low-Pass Frequencies	Variable from 50Hz to 400Hz
	Protections	Thermal, RMS
	Limiter	Fast Limiter
	Controls	Gain, EQ, Xover, Phase switch, Output Delay Settings, Cardiloid
	RDNet	Onboard
Power section	Total Power	7200 W Peak, 3600 W RMS
	Low frequencies	7200 W Peak, 3600 W RMS
	Cooling	Convection
	Connections	Powercon IN/OUT
Standard compliance	Safety agency	CE compliant

SUB 9007-AS

ACTIVE HIGH POWER SUBWOOFER

Physical specifications	Cabinet/Case Material	Baltic birch plywood
	Hardware	Mounting points, 2 x M20
	Handles	8 side
	Pole mount/Cap	M20 thread
	Grille	Steel
	Color	Black
Size / Weight	Height	708 mm / 27.87 inches
	Width	1188 mm / 46.77 inches
	Depth	785 mm / 30.91 inches
	Weight	96 kg / 211.64 lbs

ACCESSORIES

Rigging / Mounting	**POLE MOUNT KITS**		
13360068	AC PMA TT	Black	EAN 8024530005825
13360232	AC PMX		EAN 8024530010058
13360067	PM-KIT M20	Black	EAN 8024530014599
	STACKING KITS		
13360231	STCK-KIT SUB 8006	Black	EAN 8024530018672
Protections	**COVERS**		
13360339	CVR SUB 9007	Black	EAN 8024530013561
	RAIN PROTECTIONS		
13360352	RP 1X SUB 9007	Black	EAN 8024530013790
Transportation	**KART WITH WHEELS**		
13360348	KRT-WH SUB 9007	Black	EAN 8024530013745
Cables	**CABLES**		
12399019	CBL ETHERCON TO XLR F 0.2M	Black	EAN 8024530013882
12399020	CBL ETHERCON TO XLR M 0.2M	Black	EAN 8024530013899
	CABLES KIT		
13360102	AC XLR 3M3F		EAN 8024530006402
12399016	CBL ETHERCON 0.7M	Black	EAN 8024530013844
12399035	CBL ETHERCON 3M	Black	EAN 8024530013868
12399018	CBL ETHERCON 5M	Black	EAN 8024530013875
12399023	CBL LK 25 MULTIPIN 10M	Black	EAN 8024530013837
12399022	CBL LK 25 MULTIPIN 20M	Black	EAN 8024530013820
12399024	CBL LKS 19 ARRAY FANOUT	Black	EAN 8024530013905
12399026	CBL LKS 19 BREAKOUT	Black	EAN 8024530013929
12399027	CBL LKS 19 POWER 10M	Black	EAN 8024530013936
13360146	CBL LKS 19 POWER 20M		EAN 8024530013943
12399025	CBL LKS 19 SUB FANOUT	Black	EAN 8024530013912
12399021	CBL LKS 25-2 FANOUT	Black	EAN 8024530013813
13360145	CBL POWER BOX 6X	Black	EAN 8024530015534
12399030	CBL POWERCON LINK 1.5M	Black	EAN 8024530013721

Cables	12399028	CBL POWERCON LINK 10M	Black	EAN 8024530013707
	12399029	CBL POWERCON LINK 5M	Black	EAN 8024530013714
	13360138	POWER CABLE X6 TTL 55-A		