



TT 051-A II

ACTIVE ULTRA COMPACT WIDE COVERAGE SPEAKER



Description

The TT 051-A II is an ultra-compact, active speaker designed for high quality indoor near field sound reinforcement. It is equipped with an onboard two-channel 300 W Class-D amplifier. One powerful 5" neodymium woofer and a 1" aluminum dome tweeter loaded to a wide dispersion constant directivity horn provide extensive coverage. Thanks to the RDNet networked control, powerful DSP and proprietary FiRPHASE processing, the TT 051-A II features a 0° linear phase response for TT+ class sound quality.

Features

- › 300 W Class D two-channel amplifier
- › Heavy-duty multi-functional cabinet
- › 110° conical coverage
- › FiRPHASE for 0° phase response
- › 5" neodymium low distortion woofer
- › 1.0" Alu tweeter

Part Number

13000632 TT 051-A II
13000633 TT 051-A II

220-240 V
115 V

Black
Black

EAN 8024530017910
EAN 8024530017927




TT 051-A II

ACTIVE ULTRA COMPACT WIDE COVERAGE SPEAKER



Line Art 2D

TT051-A



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	65 Hz ÷ 20000 Hz
	Max SPL @ 1m	116 dB
	Horizontal coverage angle	110°
	Vertical coverage angle	110°
Transducers	Dome Tweeter	1 x 1.0"
	Woofer	1 x 5.0", 1.0" v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	XLR
	Output connectors	XLR
	Input sensitivity	-2 dBu/+10 dBu
Processor section	Crossover Frequencies	1800 Hz
	Protections	Thermal, Excurs., HF
	Limiter	Soft Limiter
	Controls	DSP Controlled, RDnet on board
Power section	RDNet	Yes
	Total Power	600 W Peak, 300 W RMS
	High frequencies	300 W Peak, 150 W RMS
	Low frequencies	300 W Peak, 150 W RMS
Standard compliance	Cooling	Convection
	Connections	Powercon IN/OUT
	Safety agency	CE compliant
Physical specifications	Hardware	Multi - Functional
	Handles	Top, Bottom
	Color	Black
Size	Height	348 mm / 13.7 inches
	Width	150 mm / 5.91 inches
	Depth	207 mm / 8.15 inches
	Weight	7 kg / 15.43 lbs



TT 051-A II

ACTIVE ULTRA COMPACT WIDE COVERAGE SPEAKER

	ACCESSORIES		
-	AC XLR 3M3F	13360102	8024530006402
Protections	CVR TT 051	13360169	8024530015664
Rigging / Mounting	AC EB 4X	13360031	8024530018870
	CL-BR TT 051-052	13360171	
	H-BR 2X TT 051	13360204	8024530007492
	PM-KIT TT 051-052	13360172	8024530018658